## Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Currently Amended) Composition comprising:
- at least one polyurethane prepolymer A having isocyanate end groups, prepared from at least one polyisocyanate with at least one polyol A1 and if desired optionally at least one polyol A2, as specified below:
- A1: linear polyoxyalkylene polyol having a degree of unsaturation < 0.04 meq/g;
- A2: polyol in an amount of 0-30% by weight, preferably 0-20% by weight, in particular 0-10% by weight, based on the total amount of A1+A2;

and

- \_\_\_\_\_ at least one polyaldimine B.
- 2. (Currently Amended) Composition according to claim 1, characterized in that wherein the polyol A1 has a molecular weight of 2000-30 000 g/mol, in particular 2000-20 000 g/mol.
- 3. (Currently Amended) Composition The composition according to claim 1, eharacterized in that wherein the degree of unsaturation of the polyol A1 is < 0.02 meq/g, in particular < 0.017 meq/g.
- 4. (Currently Amended) Composition according to claim 1, characterized in that wherein the polyol A1 is a polyol prepared by means of DMC catalysis.
- 5. (Currently Amended) Composition The composition according to claim 1, eharacterized in that wherein the polyol A1 is a polyoxypropylene diol or an EO-endcapped an ethylene oxide-endcapped polyoxypropylene diol.

- 6. (Currently Amended) Composition The composition according to claim 1, eharacterized in that wherein the polyol A2 is a polyoxyalkylene polyol having a degree of unsaturation > 0.04 meq/mol.
- 7. (Currently Amended) Composition The composition according to claim 1, characterized in that wherein the polyol A2 is a polyoxyalkylene polyol having a molecular weight of 400-2000 g/mol.
- 8. (Currently Amended) Composition The composition according to claim 1, characterized in that wherein the polyol A2 is a polyoxyalkylene polyol having an OH functionality of greater than 2 and up to about 3.
- 9. (Currently Amended) Composition The composition according to claim 1, eharacterized in that wherein the polyol A2 is selected from the group consisting of the following: 1,2-ethanediol, 1,2- and 1,3-propanediol, neopentyl glycol, diethylene glycol, triethylene glycol, the isomeric dipropylene glycols and tripropylene glycols, the isomeric butanediols, pentanediols, hexanediols, heptanediols, octanediols, nonanediols, decanediols, undecanediols, 1,3- and 1,4-cyclohexanedimethanol, hydrogenated bisphenol A, 1,1,1-trimethylolethane, 1,1,1-trimethylolpropane and glycerol.
- 10. (Currently Amended) Composition The composition according to claim 1, characterized in that wherein the polyisocyanate is a diisocyanate.
- 11. (Currently Amended) Composition The composition according to claim 1, eharacterized in that wherein the aldehyde on which the polyaldimine B is based does not have a C-H moiety positioned α to the carbonyl group.
- 12. (Currently Amended) Composition The composition according to claim 1, eharacterized in that wherein the polyurethane prepolymer A and the polyaldimine B is present in a ratio of 0.1-1.1 equivalent of aldimine moieties per equivalent of isocyanate groups.

- 13. (Currently Amended) Process A process for preparing the composition according to claim 1, comprising a step of preparing a polyaldimine by reacting an aldehyde with an amine in a manner known per se.
- 14. (Currently Amended) Use of An adhesive comprising the composition according to claim 1-as an adhesive, sealant, coating or covering.
- 15. (Currently Amended) Arrangement characterized in that it comprises a An arrangement comprising the composition according to claim 1.
- 16. (Currently Amended) Article whose An article having a surface that has been at least partly contacted with a composition according to claim 1.
- 17. (Currently Amended) <u>Process A process</u> for bonding, <u>characterized in that it comprises a step of comprising contacting with a composition according to claim 1.</u>
- 18. (Currently Amended) Process A process for sealing, characterized in that it comprises a step of comprising contacting with a composition according to claim 1.
- 19. (Currently Amended) Process A process for coating, characterized in that it comprises a step of comprising contacting with a composition according to claim 1.
- 20. (Currently Amended) <u>Process The process according to claim 17</u>, eharacterized in that it comprises an additional step of <u>further comprising</u> curing in the air.
- 21. (Currently Amended) Process The process according to claim 17, eharacterized in that it further comprises a step of further comprising contacting with a hydrous component or an admixture thereof.
- 22. (New) The composition according to claim 1, wherein A2 is present in an amount of 0-20% by weight, based on the total amount of A1+A2.
- 23. (New) The composition according to claim 1, wherein A2 is present in an amount of 0-10% by weight, based on the total amount of A1+A2.

- 24. (New) The composition according to claim 1, wherein the polyol A1 has a molecular weight of 2000-20 000 g/mol.
- 25. (New) The composition according to claim 1, wherein the degree of unsaturation of the polyol A1 is < 0.017 meq/g.
  - 26. (New) A sealant comprising the composition according to claim 1.
  - 27. (New) A coating comprising the composition according to claim 1.
  - 28. (New) A covering comprising the composition according to claim 1.